

EDMF-120



Extra-flat bathroom extractor fans with a modern appearance and design

- Architectural integration with the bathroom elements.
- Ultra-silent.
- Extra-flat design with a thickness of just 17 mm.
- High performance thanks to its aerodynamic design.
- Can be easily and quickly installed.


Construction:

- White finish.
- Non-return gate built into all models.
- Made with recyclable materials.

Version:

- BASIC: operates with a light switch or a separate switch.
- TIMER: operates with an adjustable electronic timer.
- LL: Long life ball bearings.

CHARACTERISTIC CURVE AND ACOUSTICS AT 1.2KG/M3




Design Point		

Service Point (SP)

Q (m³/h) Ps (Pa)

Q (m³/h)	
Ps (Pa)	
Pd (Pa)	
Pt (Pa)	
Impeller (rpm)	
Max. Temp. (ºC)	
Outlet air speed (m/s)	



Band	Lw dB(A)	Lp dB(A)
63 Hz	28	10
125 Hz	29	11
250 Hz	44	26
500 Hz	47	29
1000 Hz	49	31
2000 Hz	42	24
4000 Hz	41	23
8000 Hz	36	18
TOTAL	53	35

TECHNICAL CHARACTERISTICS

Airflow maximum (m³/h)	203
Speed (rpm)	2400
Approx. weight (kg)	0.70

ERP

Remarks	ErP Exclude. Pe < 125 W





MOTOR DATA

Max. Electrical Power (kW)	0.02
Hz/phases	50/1
Motor (rpm)	2400
Max. current (A) 220-240 V	0.10

Data can change, please check motor plate

AVAILABLE ACCESSORIES







DIMENSIONS

Α	В	С	D
176	12.5	114	124

Dimensions without explicitly defined units are shown in millimeters (mm). Dimensions depending on the motor are approximate





Data in this report can change without notice

